Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"20040210586"	USPAT	OR	OFF	2005/02/11 08:28
S2	2	"20040210586"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 08:43
S3	31	(non\$1destruct\$4 adj test\$4) and database and format and conver\$4 and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:20
S4	68/2	(non\$1destruct\$4 adj test\$4) and database and format and conver\$4 and @ad < "19991201" and (test\$4 adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 08:51
S5	C 211	(non\$1destruct\$4 adj test\$4) and format and conver\$4 and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 08:59
S6	16	(non\$1destruct\$4 adj test\$4) and format and conver\$4 and @ad < "19991201" and NDE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:04
S7	1	(non\$1destruct\$4 adj test\$4) and format and (data near2 conver\$4) and @ad < "19991201" and NDE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:00
S8	38	(data adj conver\$\$) and (data adj format) and (testing adj data) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:07
S9	36	(data adj conver\$\$) and (data adj format) and (testing adj data) and pre\$1determined and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:15
S10	0	(data adj conver\$\$) and (data adj format) and (testing adj data) and (pre\$1determined adj data adj format) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:08

			·			
S11	99	(convert\$4 adj test adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:16
S12	0	(convert\$4 adj test adj data) and NDE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:16
S13	65	(convert\$4 adj test adj data) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:14
S14	0	(convert\$4 adj test adj data) and @ad < "19991201" and NDT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/04 14:24
S15	66	(convert\$4 adj test\$4 adj data) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:45
S16	20	(non\$1destruct\$4 adj test\$4) and database and format and conver\$4 and @ad < "19991201" and semi\$cond\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:22
S17	25	((non\$1destruct\$4 adj test\$4)or NDT or NDE)and database and format and conver\$4 and @ad < "19991201" and semi\$cond\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:25
S18	46	((non\$1destruct\$4 adj test\$4)or NDT or NDE) and database and @ad < "19991201" and semi\$cond\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:30
S19	146	((non\$1destruct\$4 adj test\$4)or NDT or NDE) and (data same conver\$5) and @ad < "19991201" and semi\$cond\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:32
S20	72	((non\$1destruct\$4 adj test\$4)or NDT or NDE) and (data same conver\$5) and @ad < "19991201" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:33

	<u></u>		· · · -		Т	
S21	58	S20 not estate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:43
S22	933	DICOM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:43
S23	25	DICOM and (data adj conver\$5) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:44
S24	8	DICOM and (data adj conver\$5) and database and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:48
S25	0	DICOM and (data adj conver\$5) and database and @ad < "19991201" and NDT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:48
S26	0	DICOM and (data adj conver\$5) and database and @ad < "19991201" and NDE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:48
S27	2	(data adj conver\$5) and database and @ad < "19991201" and (NDE or NDT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:50
S28	17	(data adj conver\$5) and @ad < "19991201" and (NDE or NDT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:58
S29	31	(non\$1destructive adj test\$4) same data same conver\$4 and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 10:59
S30	31	(non\$1destructive adj test\$4) same data same conver\$4 and @ad < "19991201" not estate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:02

S31	2	"6721676".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 08:46
S32	45	(non\$1destructive adj test\$4) same data same conver\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:15
S33	0	707/100.ccls. and "l45"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:11
S34	0	707/100.ccls. and "l19"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:10
S35	5	707/100.ccls. and "I9"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:10
S36	0	356/241.1.ccls. and "l45"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:11
S37	0	356/241.1.ccls. and "l11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:11
S38	0	356/241.1.ccls. and "I22"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:11
S39	0	714/703.ccls. and "I22"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:12
S40	0	714/703.ccls. and "l15"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:12

			······			
S41	0	714/703.ccls. and "I9"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:12
S42	0	714/703.ccls. and "I20"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 12:12
S43	1	(non\$1destructive adj test\$4) same data same conver\$4 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:23
S44	2	"20030210586"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:23
S45	2	"20040210586"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:24
S46	15	(test adj data) with (pre\$defined or pre\$determined) adj format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 17:25
S47	11	(test adj data) with (pre\$defined or pre\$determined) adj format and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 14:17
S48	2	"5987624".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 16:59
S49	0	N-1999-238206	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 17:00
S50	1	N1999-238206	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 17:02

S51	3	"6301512".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 17:05
S52	2	"4229796".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 17:05
S53	42	(test adj data) with formats and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 17:26
S54	3	(test adj data) with formats same conver\$6 and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 17:27
S55	2	(test adj data) with (different adj formats) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 20:30
S56	3	(test adj data) same (different adj formats) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 20:38
S57	5	(test\$4 adj data) same (different adj formats) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 20:39
S58	5	(test\$4 adj data) same ((different or various) adj formats) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 20:40
S59	21	(test\$4 adj data) same ((different or various) with formats) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 20:44
S60	28	(test\$4 adj (signal\$1 or data)) same ((different or various) with formats) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 21:49

			•			
S61	2903	(TIFF or ASCII or IPDE) adj format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 21:50
S62	243	(TIFF or ASCII or IPDE) adj format and (test\$4 adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 21:50
S63	90	(TIFF or ASCII or IPDE) adj format and (test\$4 adj data) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 21:50
S64	0	(((TIFF or ASCII or IPDE) and DICOM) adj format) and (test\$4 adj data) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 21:51
S65	0	(((TIFF or ASCII or IPDE) same DICOM) adj format) and (test\$4 adj data) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 21:51
S66	90	((TIFF or ASCII or IPDE) adj format) and (test\$4 adj data) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 21:53
S67	0	((TIFF or ASCII or IPDE) adj format) and (test\$4 adj data) and @ad < "19991201" and DICOM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 21:52
S68	0	((TIFF or ASCII or IPDE) adj format) and (test\$4 adj data) and @ad < "19991201" and non\$1destructive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 21:53
S69	56	((TIFF or ASCII or IPDE) adj format) and (test\$4 adj data) and @ad < "19991201" and image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 22:03
S70	22	((TIFF or ASCII or IPDE) adj format) and (test\$4 adj data) and @ad < "19991201" and image\$1 and medic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 22:00

				,		
S71	0	((TIFF or IPDE) adj format) and (test\$4 adj data) and @ad < "19991201" and image\$1 and medic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 22:00
S72	22	((TIFF or ASCII or IPDE) adj format) and (test\$4 adj data) and @ad < "19991201" and image\$1 and medic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 22:00
S73	12	((TIFF or ASCII or IPDE) adj format) and DICOM and @ad < "19991201" and image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 22:04
S74	6	((TIFF or IPDE) adj format) and DICOM and @ad < "19991201" and image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 22:10
S75	1	((TIFF or IPDE) adj format) and DICOM and @ad < "19991201" and image\$1 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 22:10
S76	2	"6511426".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 22:26
S77	6	("6721676" or "6511426" or "5628319").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 09:31
S78	99	database same (catalog\$5 adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 09:16
S79	27	(database same (catalog\$5 adj server)) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 09:17
S80	1	(database same (catalog\$5 adj server)) and @ad < "19991201" and (test\$4 adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 09:16

	<del>-</del> -					
S81	8	("6721676" or "6511426" or "5628319" or "5920828").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 09:32
S82	6	"6487552".pn. or "20020120481" or "6587668".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 13:43
S83	225776	(convert\$4 with data) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:14
S84	2977	(convert\$4 with data with image with format) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:15
S85	531	(convert\$4 adj image adj data with format) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:16
S86	0	(convert\$4 adj (non\$1image and image) adj data with format) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:16
S87	531	(convert\$4 adj (non\$1image or image) adj data with format) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:17
S88	125	(convert\$4 adj image adj data with (data adj format)) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:20
S89	2	(convert\$4 adj image adj data with (data adj format)) and @ad < "19991201" and (test\$3 adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:18
S90	4	(convert\$4 adj image adj data with (data adj format)) and @ad < "19991201" and testing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:23

			<del>-</del>			
S91	495	(convert\$4 with (data adj format)) and @ad < "19991201" and testing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:23
S92	50	(convert\$4 with (data adj format)) with image and @ad < "19991201" and testing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:24
S93	15	(convert\$4 with (data adj format)) with (image adj data) and @ad < "19991201" and testing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:37
S94	71	provid\$5 with (data adj format) and @ad < "19991201" and testing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 21:20
S95	0	provid\$5 with (data adj format) and @ad < "19991201" and pre41determined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 21:21
S96	253	provid\$5 with (data adj format) and @ad < "19991201" and pre\$1determined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 21:21
S97	12	provid\$5 with (pre\$1determined adj data adj format) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 21:38
S98	3	concer\$6 with (pre\$1determined adj data adj format) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 21:43
S99	114	conver\$6 with (pre\$1determined adj data adj format) and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 21:43
S10 0	28	conver\$6 with (pre\$1determined adj data adj format) same image and @ad < "19991201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 22:19

S10 1	2	"5628319".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 22:19
S10 2	1	(convert\$4 adj test adj data) and @ad < "19991201" and (non\$1destructive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/04 14:29
S10 3	0	(formats near2 test\$4 near2 data) and @ad < "19991201" and (non\$1destructive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/04 14:29
S10 4	8	(formats with test\$4 with data) and @ad < "19991201" and (non\$1destructive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/04 14:30
S10 5	0	(conver\$4 same (formats with test\$4 with data)) and @ad < "19991201" and (non\$1destructive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/04 14:31
S10 6	6	(conver\$4 and (formats with test\$4 with data)) and @ad < "19991201" and (non\$1destructive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/04 15:08
S10 7	0	(conver\$4 same (formats with test\$4 with data)) and @ad < "19991201" and (non\$1destructive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/04 14:31
S10 8	13	(conver\$4 adj image adj data) and @ad < "19991201" and (non\$1destructive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/04 15:16
S10 9	0	(conver\$4 adj non\$1image adj data) and @ad < "19991201" and (non\$1destructive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/04 15:16
S11 0	1	(conver\$4 adj test\$4 adj data) and @ad < "19991201" and (non\$1destructive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/04 15:16

		<u>, , , , , , , , , , , , , , , , , , , </u>	<del>,</del>			
S11 1	2	"5946220".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:02
S11 2	2	"20020013857"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:01
S11 3	2	"5628319".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:04
S11 4	2	"6201891".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:03
S11 5	2	"5186887".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:05
S11 6	2	"5862218".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:05

6/5/06 11:38:16 AM Page 12